

**NOTICE OF FINDING OF NO SIGNIFICANT IMPACT AND
NOTICE OF INTENT TO REQUEST RELEASE OF FUNDS**

Date of Notice: 11/2/2023

City of Mathis, 411 E San Patricio, Mathis, Texas 78368, (361) 547-3343

These notices shall satisfy two separate but related procedural requirements for activities to be undertaken by the City of Mathis.

REQUEST FOR RELEASE OF FUNDS

On or about 11/21/2023 the City of Mathis will submit a request to the Texas General Land Office for the release of Texas Community Development Block Grant Mitigation (CDBG-MIT) funds appropriated under the Supplemental Appropriations for Disaster Relief Requirements Act, 2018 (Pub. L.115-123), as amended, to undertake a project known as Water & Sewer Facilities project 22-085-032-D275. The City proposes to install 500 kw emergency generators at the city water treatment plant, install 275 kw emergency generators for the Raw Water Pump Pier, demolish and reconstruct 600' of the Lake Corpus Christi Pier, and replace and improve access to existing sewer pipes/mains and complete all associated appurtenances throughout the City of Mathis. Construction shall take place at the following locations in Mathis, San Patricio County, Texas:

Water & Public Facilities	Location Approximate Lat/Long	Proposed HUD Performance Measures
City Water Treatment Plant Generators	FM1068 before State Park Road 25 28.05953, -97.86311	One (1) Public Facility
Raw Water Pump Pier Improvements and Generators	Park Road 25 and Lake Corpus Christi 28.04897, -97.87103	One (1) Public Facility
Sewer Facilities	Location Approximate Lat/Long	Proposed HUD Performance Measures
Sewer Improvements	Start at the intersection of S. 9 th St. and W. San Patricio Ave. head approximately 1,392 feet northwestward on W. San Patricio Ave.; thence westward along easement for approximately 2,125 feet; thence northward to wastewater treatment plant along easement for approximately 148 feet. Midpoint 28.103124, -97.840405	3,665 LF
Sewer Improvements	Start at the intersection of McAnally Rd (FM 3377) and W Rockport St and head southeastward approximately 403 feet; thence southwestward along an easement approximately 748 feet. Midpoint 28.099495, -97.834353	1,151 LF
Sewer Improvements	Start at the intersection of McAnally Rd (FM 3377) and W. San Patricio Ave. head southeastward approximately 1,056 feet along W. San Patricio Ave. Midpoint 28.098697, -97.834326	1,056 LF
Sewer Improvements	At the intersection of S 7 th St. and W. Saint Mary St. head southeastward along W. Saint Mary St and start approximately 151 feet at an easement; thence northeastward approximately 735 feet along the easement. Midpoint 28.098464, -97.833950	735 LF
Sewer Improvements	At the intersection of S 6 th St. and W. Saint Mary St. head southeastward along W. Saint Mary St and start approximately 159 feet at an easement; thence northeastward approximately 1,121 feet along the easement. Midpoint 28.098282, -97.832762	1,121 LF
Sewer Improvements	At the intersection of S. Perez St. and W. San Patricio Ave. start southeastward approximately 163 feet along W. San Patricio Ave continue southeastward approximately 351 feet. Midpoint 28.096929, -97.831964	351 LF
Sewer Improvements	At the intersection of S. Atascosa St. and W. Wilson St. head approximately 160 feet southeastward along W. Wilson St. and start northeastward approximately 53 feet inside an easement. Continue northeastward approximately 1,339 feet along the easement. Midpoint 28.093672, -97.832777	1,339 LF

Sewer Improvements	At the intersection of S. Atascosa St. and W. Saint Marys St. head approximately 180 feet southeastward along W. Saint Marys St. and start northeastward approximately 53 feet inside an easement. Continue northeastward approximately 317 feet along the easement. Midpoint 28.095670, -97.830973	317 LF
Sewer Improvements	At the intersection of N. Live Oak St. and W. San Patricio Ave. start southeastward approximately 180 feet along W. San Patricio Ave; thence southwestward approximately 338 feet along an easement. Midpoint 28.095014, -97.830091	338 LF
Sewer Improvements	At the intersection of N. Live Oak St. and W. Saint Marys St. start southeastward approximately 180 feet along W. Saint Marys St.; thence southwestward approximately 1,021 feet along an easement. Midpoint 28.093396, -97.831671	1,021 LF
Sewer Improvements	At the intersection of S. Frio St. and W. Hackberry St. start southeastward approximately 175 feet along W. Hackberry St. continue southeastward approximately 698 feet. Midpoint 28.093684, -97.832803	698 LF
Sewer Improvements	Start at the intersection S. Atascosa St. and W. Mesquite St. head southeastward approximately 536 feet along W. Mesquite St. Midpoint 28.092797, -97.833317	536 LF
Sewer Improvements	At the intersection of N. South St. and E. San Patricio Ave. start southeastward approximately 165 feet along E. San Patricio Ave; thence southwestward approximately 1,867 feet along an easement. Midpoint 28.091361, -97.829820	1,867 LF
Sewer Improvements	At the intersection of E. San Patricio Ave. and S. Bee St. head southwestward approximately 175 feet along S. Bee St and start northwestward approximately 40 feet in an easement. Continue northwestward approximately 146 feet. Midpoint 28.093205, -97.827795	146 LF
Sewer Improvements	At the intersection of E. Mesquite St. and S. Bee St. start southeastward approximately 175 feet along E. Mesquite St. and continue southeastward for approximately 349 feet. Midpoint 28.089710, -97.829175	349 LF
Sewer Improvements	At the intersection of S. Nueces St. and E. Wilson St. start southeastward approximately 176 feet along E. Wilson St. and head northeastward approximately 1,778 feet. Midpoint 28.090482, -97.827737	1,778 LF
Sewer Improvements	At the intersection of E. Mesquite St. and S. Duval St. start southeastward approximately 170 feet along E. Mesquite St. and continue southeastward for approximately 364 feet. Midpoint 28.088421, -97.827451	364 LF
Sewer Improvements	At the intersection of S. Encinal St. and E. Hackberry St. start southeastward approximately 165 feet along E. Hackberry St. and head southwestward approximately 629 feet along an easement. Midpoint 28.088171, -97.826949	629 LF
Sewer Improvements	At the intersection of E. Saint Marys St. and S. Lee St. and start southwestward approximately 93 feet and head northeastward along S. Lee St. approximately 351 feet; thence southeastward approximately 308 feet along an easement. Midpoint 28.089777, -97.823297	659 LF
Sewer Improvements	At the intersection of E. Saint Marys St. and Hwy 359 start northeastward along Hwy 359 approximately 86 feet and head northwestward to the Sonic Parking lot. Head northeastward along the Sonic parking lot at approximately 175 feet. Start at approximately 114 feet on the same line and head northeastward approximately 96 feet along the Sonic parking lot. Midpoint 28.088813, -97.822369	385 LF
Sewer Improvements	Start at the intersection E. Franklin St. and S. Encinal St. and head southeastward approximately 193 feet. Midpoint 28.086770, -97.828676	193 LF
Sewer Improvements	Start at the intersection of E. Franklin St. and Lee St. head southeastward approximately 644 feet along E. Franklin St. Midpoint 28.085102, -97.826453	644 LF
Sewer Improvements	At the intersection of Hammond St. and Campbell St. start southeastward approximately 140 feet along Campbell St. Head southwestward approximately 933 feet along the easement. Midpoint 28.082218, -97.831322	933 LF
Sewer Improvements	At the intersection of Hammond St. and Jackson St start southeastward approximately 130 feet along Jackson St and continue southeastward for approximately 329 feet. Midpoint 28.081944, -97.830913	329 LF

Sewer Improvements	At the intersection of Hammond St. and Campbell St. head northeastward to the easement approximately 165 feet along Hammond St. Start southeastward approximately 45 feet along the easement and continue southeastward approximately 240 feet. Midpoint 28.083555, -97.829849	240 LF
Sewer Improvements	Start at the intersection of King St and Campbell St. Head northeastward approximately 542 feet along King St.; thence northwestward approximately 249 feet along the easement. Midpoint 28.083781, -97.829120	791 LF
Sewer Improvements	At the intersection of Hutchins St. and King St. start southeastward approximately 186 feet along Hutchins St. Continue southeastward approximately 333 feet to an easement; thence southwestward approximately 622 feet along an easement. Midpoint 28.083209, -97.827512	955 LF
Sewer Improvements	At the intersection of Ohio St. and Hwy 359 start southeastward approximately 208 feet along Ohio St. Continue southeastward for approximately 161 feet to Bluebonnet St., thence southwestward for approximately 294 feet along Bluebonnet St. Midpoint 28.081193, -97.827156	455 LF
Sewer Improvements	Start at the intersection of Bluebonnet St. and Iowa St. head southeastward for approximately 356 feet. Midpoint 28.081723, -97.825900	356 LF
Sewer Improvements	Start at the intersection of Ohio St. and Marigold St. and head northeastward for approximately 356 feet along Marigold St. Midpoint 28.081044, -97.825879	356 LF
Sewer Improvements	Start at the end of Marigold St. and head southeastward for approximately 601 feet along an easement; thence southwestward for approximately 888 feet along Aster St. Midpoint 28.080475, -97.823910	1,489 LF
Sewer Improvements	Start at the intersection of Ohio St. and Gardenia Ave. and head northeastward for approximately 609 feet. Midpoint 28.080703, -97.824941	609 LF
Sewer Improvements	Start at the intersection of Texas St. and Paloma Ln. head southeastward along Paloma Ln. approximately 552 feet. Midpoint 28.084771, -97.821507	552 LF
Sewer Improvements	Start at the intersection of Cain St. and Nichols St. and head southeastward along Cain St. for approximately 334 feet; thence southwestward along Texas St. for approximately 1,010 feet. Midpoint 28.085507, -97.821897	1,344 LF
Sewer Improvements	At the intersection of Cain St. and Texas St. and head southeastward into an easement for approximately 191 feet; start northeastward along an easement for approximately 578 feet; thence southeastward along an easement for approximately 512 feet. Midpoint 28.086946, -97.819604	1,090 LF
Sewer Improvements	At the intersection of Texas St and FM666 start southeastward along FM666 for approximately 778 feet. Continue southeastward for approximately 340 feet to an easement; thence northeastward along an easement for approximately 637 feet. Midpoint 28.086209, -97.816596	977 LF
Sewer Improvements	Start at the intersection of Cherry St. and FM666 and head southeastward along FM666 for approximately 157 feet to an easement; thence northeastward along an easement for approximately 370 feet. Midpoint 28.087393, -97.818364	527 LF
Sewer Improvements	At the intersection of Texas St and FM666 start southeastward along FM666 for approximately 84 feet to an easement; thence northeastward along an easement for approximately 453 feet. Midpoint 28.088114, -97.818775	453 LF
Sewer Improvements	At the intersection of Cedar St. and La Fruita St. start southwestward along La Fruita St. for approximately 154 feet and head northeastward along La Fruita St. for approximately 399 feet; thence northwestward along Pine St. for approximately 193 feet to an easement; thence northeastward along an easement for approximately 224 feet. Midpoint 28.090906, -97.819468	816 LF
Sewer Improvements	At the intersection of Spur 459 and Moreno St. head southwestward for approximately 656 feet along Moreno St.; start southeastward along an easement for approximately 262 feet and continue southeastward for approximately 454 feet along the easement behind Palma Real Nursing Center. Midpoint 28.091247, -97.814023	454 LF
Sewer Improvements	At the intersection of N. Hidalgo St. and E. Rockport St. head approximately 187 feet southeast on E. Rockport St. Start on E. Rockport St. and head northeast along an easement for approximately 290 feet, thence southeast approximately 172 feet along an easement to N. Lee St. Midpoint 28.091768, -97.822057	462 LF

Sewer Improvements	At the intersection of the railroad and Hwy 359 start southwestward for approximately 244 feet and continue southwestward for approximately 292 feet on the north side of Hwy 359. Midpoint 28.091642, -97.820919	292 LF
Sewer Improvements	At the intersection of E. San Patricio Ave and N. Bee Street head southeast approximately 168 feet on E. San Patricio Ave. Start approximately 192 feet northeast from E. San Patricio Ave in the CVS parking lot and continue northeast approximately 313 feet, thence southeast approximately 1,801 feet on E. Rockport St. Midpoint 28.092431, -97.824030	2,114 LF
Sewer Improvements	At the intersection of E. Chiltipin St and N. Hidalgo St. head northwest approximately 174 ft on E. Chiltipin St. Start approximately 138 feet southwest towards E. Fulton St. and continue southwest for approximately 748 feet. Midpoint 28.092345, -97.823023	748 LF
Sewer Improvements	At the intersection of E. San Patricio Ave and N. Encinal St. head northeast approximately 188 ft on N. Encinal St. Start approximately 44 feet southeast of N. Encinal St. and continue southeast for approximately 271 feet. Midpoint 28.091550, -97.823754	271 LF
Sewer Improvements	At the intersection of E. San Patricio Ave and N. Encinal St. head northeast approximately 188 ft on N. Encinal St. Start approximately 30 feet northwest of N. Encinal St. and continue northwest for approximately 290 feet. Midpoint 28.092185, -97.824611	290 LF
Sewer Improvements	At the intersection of E. Chiltipin St and N. Encinal St. head northwest approximately 180 ft on E. Chiltipin St. Start approximately 52 feet southwest towards E. Fulton St. and continue southwest for approximately 852 feet. Midpoint 28.093075, -97.823757	852 LF
Sewer Improvements	Start At the intersection of N. Bee St. and E. Fulton St head northeast approximately 527 ft on E. Fulton St. Thence southwest for approximately 339 ft. Midpoint 28.094120, -97.824647	866 LF
Sewer Improvements	At the intersection of E. San Patricio Ave and N. Bee Street head southeast approximately 168 feet on E. San Patricio Ave. Start approximately 198 feet northeast from E. San Patricio Ave in the CVS parking lot head southeast approximately 434 feet. Midpoint 28.093104, -97.825814	434 LF
Sewer Improvements	At the intersection of E. San Patricio Ave and N. Bee Street head northeast approximately 184 feet on N. Bee St. Start approximately 36 feet northwest along an easement from N. Bee St. and continue northwest for approximately 151 feet along an easement; thence southwestward for approximately 115 feet. Midpoint 28.094104, -97.827163	266 LF
Sewer Improvements	At the intersection of N. South St. and E Rockport St. head southeast approximately 155 feet along W. E Rockport St. Start northeast from E Rockport St. along an easement and continue northeast for approximately 645 feet. Midpoint 28.095182, -97.826168	645 LF
Sewer Improvements	Start at the intersection of N. South St. and W. Fulton St. and head southeast approximately 190 feet along W. Fulton St. Midpoint 28.095413, -97.826332	190 LF
Sewer Improvements	Start at the intersection of N. Nueces St. and E. Chiltipin St. and continue approximately 727 feet on E. Chiltipin St. Thence northeast approximately 678 feet on N. Encinal St. Midpoint 28.093851, -97.822376	1,405 LF
Sewer Improvements	Start at the intersection of N. Encinal St. and E. Laredo St. continue northeast approximately 667 feet on N. Encinal St. Midpoint 28.095238, -97.821015	667 LF
Sewer Improvements	At the intersection of E. Chiltipin St and N. Duval St. start approximately 130 feet northeast along N. Duval St. continue northeast approximately 568 feet. Midpoint 28.095764, -97.821988	568 LF
Sewer Improvements	At the intersection of N. Duval St. and Oleander St. start eastward approximately 211 feet along an easement. Midpoint 28.097479, -97.820032	211 LF
Sewer Improvements	At the intersection of N. Nueces St. and E. Magnolia St. Start approximately 24 feet going southwest on N. Nueces St. and continue approximately 841 feet. Midpoint 28.096364, -97.822876	841 LF
Sewer Improvements	Start at the intersection of N. Bee St. and E. Pecan St. and continue southwestward for approximately 552 feet. Midpoint 28.096649, -97.824095	552 LF

Sewer Improvements	At the intersection of E. Chiltipin St and N. Hidalgo St. start approximately 161 feet northeast along N. Hidalgo and continue northeast approximately 566 feet. Thence northwest on E. Pecan St. for approximately 1,820 feet. Midpoint 28.095751, -97.821560	2,386 LF
Sewer Improvements	At the intersection of W. Fulton St. and N. Live Oak St. start southeast ward approximately 169 feet on W. Fulton St. and continue southeast ward approximately 360 feet. Thence northeast ward 483 that leads into an easement. Midpoint 28.096391, -97.827333	843 LF
Sewer Improvements	At the intersection of N. Front St. and W. Laredo St. head northwestward approximately 167 feet along W. Laredo St. Start northeastward from W. Laredo St. for approximately 173 feet along an easement. Continue northeastward for approximately 544 feet along an easement. Thence northwestward along W. Magnolia St. for approximately 371 feet. Midpoint 28.099097, -97.824713	915 LF
Sewer Improvements	Start at the intersection of N. Aransas St. and W. Magnolia St. and head northeastward approximately 687 feet along N. Aransas St. Midpoint 28.100336, -97.824337	687 LF
Sewer Improvements	At the intersection of N. Aransas St. and Sumners St. head southeastward approximately 59 feet on Sumners St. Start approximately 26 feet going northeastward down an easement and continue approximately 247 feet. Thence southeastward approximately 177 feet. Midpoint 28.101520, -97.823071	424 LF
Sewer Improvements	At the intersection of N. Front St. and W. Magnolia St. head northeastward approximately 200 feet along N. Front St. to an easement. Start northwestward approximately 97 feet located in an easement and continue northeastward approximately 276 feet. Midpoint 28.099747, -97.824336	276 LF
Sewer Improvements	At the intersection of N. Front St. and W. Magnolia St. head northeastward approximately 533 feet along N. Front St. Start northwestward approximately 87 feet located in an easement and continue northeastward approximately 291 feet. Midpoint 28.100466, -97.823628	291 LF
Sewer Improvements	At the intersection of W. Laredo St. and N. Aransas St. head northwestward approximately 188 feet and start approximately 155 feet northeastward toward an easement. Continue northeastward along the easement for approximately 1,381 feet. Midpoint 28.100223, -97.825164	1,381 LF
Sewer Improvements	At the intersection of N. Atascosa St. and W. Pecan St. head northwest and approximately 170 feet along W. Pecan St to an easement. Start northeastward approximately 356 feet along the easement; thence northwestward approximately 542 feet along W. Magnolia St. Midpoint 28.101338, -97.827351	898 LF
Sewer Improvements	Start at the intersection of Flores St. and Huerta St. head northeast approximately 516 feet along Huerta St. to Blackburn St., thence approximately 349 feet to Sumners St. Midpoint 28.103783, -97.829354	865 LF
Sewer Improvements	At the intersection of Sumners St. and Huerta St. Start Southeastward approximately 165 feet down Sumners St. Continue southeastward for approximately 744 feet. Midpoint 28.103751, -97.827206	744 LF
Sewer Improvements	At the intersection of Blackburn St. and Huerta St. Start southeastward approximately 120 feet down Blackburn St. Continue southeastward for approximately 591 feet. Midpoint 28.103224, -97.828194	591 LF
Sewer Improvements	At the intersection of Freeman St. and Almond St. start southwestward approximately 286 feet down Almond St. Continue southwestward approximately 697 feet along Almond St. Midpoint 28.102706, -97.827488	697 LF
Sewer Improvements	At the intersection of N. Front St. and Hwy 359 head northeastward approximately 480 feet to an easement starting at the north end area of an apartment building. Start southeastward approximately 270 feet along the easement. Midpoint 28.105396, -97.820573	270 LF
Sewer Improvements	At the intersection of N. Front St. and Hwy 359 head northeastward approximately 480 feet to an easement starting at the north end area of an apartment building, thence westward approximately 150 feet to parking lot. Start eastward approximately 234 feet across Hwy 359 thence northeastward approximately 246 feet. Midpoint 28.105641, -97.820887	480 LF
Sewer Improvements	At the intersection of Hackberry Ln. and Palm Tree Dr. start northeastward approximately 160 feet; thence southwestward approximately 583 feet along Hackberry Ln; thence northwestward along an easement for approximately 1,010 feet; thence northeastward along the easement approximately 790 feet; thence northwestward along the easement approximately 212 feet. Midpoint 28.106738, -97.819867	2,595 LF

Sewer Improvements	At the intersection of Hackberry Ln. and Palm Tree Dr. head northeast approximately 150 feet along Hackberry Ln to an easement. Go northwestward approximately 207 feet and start northwestward for approximately 448 feet along the easement; thence southwestward approximately 295 feet along the easement. Midpoint 28.107684, -97.818373	743 LF
Sewer Improvements	At the intersection of Hackberry Ln. and Palm Tree Dr. head southwest approximately 150 feet along Hackberry Ln to an easement. Go northwestward approximately 190 feet. Start northwestward for approximately 612 feet along the easement; thence northeastward approximately 756 feet along the easement. Midpoint 28.107876, -97.819428	1,368 LF

The City of Mathis has been awarded \$22,830,172.00 in grant funds and shall contribute \$228,302.00 in match funds. Total project cost is \$23,058,474.00.

FINDING OF NO SIGNIFICANT IMPACT

The City of Mathis has determined that the project will have no significant impact on the human environment. Therefore, an Environmental Impact Statement under the National Environmental Policy Act of 1969 (NEPA) is not required. Additional project information is contained in the Environmental Review Record (ERR) on file at the Mathis City Hall, 411 E San Patricio, Mathis, Texas 78368 and may be examined or copied weekdays from 8:00 AM to 5:00 PM.

PUBLIC COMMENTS

Any individual, group, or agency may submit written comments on the ERR to the Office of the Mayor, 411 E San Patricio, Mathis, Texas 78368. Comments may also be submitted via email to mbarrera@cityofmathis.com. All comments received by 11/20/2023 will be considered by the City of Mathis prior to authorizing submission of a request for release of funds. Comments should specify which Notice they are addressing.

ENVIRONMENTAL CERTIFICATION

The City of Mathis certifies to The Texas General Land Office that Michael Barrera in their capacity as City Manager consents to accept the jurisdiction of the Federal Courts if an action is brought to enforce responsibilities in relation to the environmental review process and that these responsibilities have been satisfied. The Texas General Land Office approval of the certification satisfies its responsibilities under NEPA and related laws and authorities and allows the City of Mathis to use HUD program funds.

OBJECTIONS TO RELEASE OF FUNDS

The Texas General Land Office will accept objections to its release of funds and the City of Mathis's certification for a period of fifteen days following the anticipated submission date or its actual receipt of the request (whichever is later) only if they are on one of the following bases: (a) the certification was not executed by the Certifying Officer of the City of Mathis approved by The Texas General Land Office (b) the City of Mathis has omitted a step or failed to make a decision or finding required by HUD regulations at 24 CFR Part 58; (c) the grant recipient or other participants in the development process have committed funds, incurred costs, or undertaken activities not authorized by 24 CFR Part 58 before approval of a release of funds by The Texas General Land Office; or (d) another Federal agency acting pursuant to 40 CFR Part 1504 has submitted a written finding that the project is unsatisfactory from the standpoint of environmental quality. Objections must be prepared and submitted in accordance with the required procedures (24 CFR Part 58, Sec. 58.76) and shall be addressed to Heather Lagrone, Texas General Land Office – Community Development and Revitalization at P.O. Box 12873, Austin, Texas 78711-2873, env.reviews@recovery.texas.gov. Potential objectors should contact The Texas General Land Office to verify the actual last day of the objection period.

Michael Barrera, City Manager

**AVISO DE HALLAZGO DE NO IMPACTO SIGNIFICATIVO Y
AVISO DE INTENCIÓN DE SOLICITAR LIBERACIÓN DE FONDOS**

Fecha de aviso: 11/2/2023

Ciudad de Mathis, 411 E San Patricio, Mathis, Texas 78368, (361) 547-3343

Estos avisos deberán satisfacer dos requisitos procesales separados pero relacionados para las actividades que realizará la Ciudad de Mathis.

SOLICITUD DE LIBERACIÓN DE FONDOS

El 11/21/2023 o alrededor de esa fecha, la ciudad de Mathis presentará una solicitud a la Oficina General de Tierras de Texas para la liberación de los fondos de mitigación de subvenciones en bloque para el desarrollo comunitario de Texas (CDBG-MIT) asignados en virtud de la Ley de Asignaciones Suplementarias para Requisitos de Ayuda en Casos de Desastre de 2018. (Pub. L.115-123), según enmendada, para emprender un proyecto conocido como Proyecto de instalaciones de agua y alcantarillado 22-085-032-D275. La Ciudad propone instalar generadores de emergencia de 500 kw en la planta de tratamiento de agua de la ciudad, instalar generadores de emergencia de 275 kw para el muelle de bombas de agua cruda, demoler y reconstruir 600 pies del muelle del lago Corpus Christi y reemplazar y mejorar el acceso a las tuberías de alcantarillado existentes. red eléctrica y completar todos los accesorios asociados en toda la ciudad de Mathis. La construcción se llevará a cabo en los siguientes lugares en Mathis, condado de San Patricio, Texas:

Agua e instalaciones públicas	Ubicación Latitud/longitud aproximada	Medidas de desempeño propuestas por HUD
Planta de tratamiento de agua de la ciudad Generadores	FM1068 before State Park Road 25 28.05953, -97.86311	One (1) Public Facility
Mejoras en muelles de bombas de agua cruda y generadores	Park Road 25 and Lake Corpus Christi 28.04897, -97.87103	One (1) Public Facility
Instalaciones de alcantarillado	Ubicación Latitud/longitud aproximada	Medidas de desempeño propuestas por HUD
Mejoras de alcantarillado	Start at the intersection of S. 9 th St. and W. San Patricio Ave. head approximately 1,392 feet northwestward on W. San Patricio Ave.; thence westward along easement for approximately 2,125 feet; thence northward to wastewater treatment plant along easement for approximately 148 feet. Midpoint 28.103124, -97.840405	3,665 LF
Mejoras de alcantarillado	Start at the intersection of McAnally Rd (FM 3377) and W Rockport St and head southeastward approximately 403 feet; thence southwestward along an easement approximately 748 feet. Midpoint 28.099495, -97.834353	1,151 LF
Mejoras de alcantarillado	Start at the intersection of McAnally Rd (FM 3377) and W. San Patricio Ave. head southeastward approximately 1,056 feet along W. San Patricio Ave. Midpoint 28.098697, -97.834326	1,056 LF
Mejoras de alcantarillado	At the intersection of S 7 th St. and W. Saint Mary St. head southeastward along W. Saint Mary St and start approximately 151 feet at an easement; thence northeastward approximately 735 feet along the easement. Midpoint 28.098464, -97.833950	735 LF
Mejoras de alcantarillado	At the intersection of S 6 th St. and W. Saint Mary St. head southeastward along W. Saint Mary St and start approximately 159 feet at an easement; thence northeastward approximately 1,121 feet along the easement. Midpoint 28.098282, -97.832762	1,121 LF
Mejoras de alcantarillado	At the intersection of S. Perez St. and W. San Patricio Ave. start southeastward approximately 163 feet along W. San Patricio Ave continue southeastward approximately 351 feet. Midpoint 28.096929, -97.831964	351 LF
Mejoras de alcantarillado	At the intersection of S. Atascosa St. and W. Wilson St. head approximately 160 feet southeastward along W. Wilson St. and start northeastward approximately 53 feet inside an easement. Continue northeastward approximately 1,339 feet along the easement. Midpoint 28.093672, -97.832777	1,339 LF

Mejoras de alcantarillado	At the intersection of S. Atascosa St. and W. Saint Marys St. head approximately 180 feet southeastward along W. Saint Marys St. and start northeastward approximately 53 feet inside an easement. Continue northeastward approximately 317 feet along the easement. Midpoint 28.095670, -97.830973	317 LF
Mejoras de alcantarillado	At the intersection of N. Live Oak St. and W. San Patricio Ave. start southeastward approximately 180 feet along W. San Patricio Ave; thence southwestward approximately 338 feet along an easement. Midpoint 28.095014, -97.830091	338 LF
Mejoras de alcantarillado	At the intersection of N. Live Oak St. and W. Saint Marys St. start southeastward approximately 180 feet along W. Saint Marys St.; thence southwestward approximately 1,021 feet along an easement. Midpoint 28.093396, -97.831671	1,021 LF
Mejoras de alcantarillado	At the intersection of S. Frio St. and W. Hackberry St. start southeastward approximately 175 feet along W. Hackberry St. continue southeastward approximately 698 feet. Midpoint 28.093684, -97.832803	698 LF
Mejoras de alcantarillado	Start at the intersection S. Atascosa St. and W. Mesquite St. head southeastward approximately 536 feet along W. Mesquite St. Midpoint 28.092797, -97.833317	536 LF
Mejoras de alcantarillado	At the intersection of N. South St. and E. San Patricio Ave. start southeastward approximately 165 feet along E. San Patricio Ave; thence southwestward approximately 1,867 feet along an easement. Midpoint 28.091361, -97.829820	1,867 LF
Mejoras de alcantarillado	At the intersection of E. San Patricio Ave. and S. Bee St. head southwestward approximately 175 feet along S. Bee St and start northwestward approximately 40 feet in an easement. Continue northwestward approximately 146 feet. Midpoint 28.093205, -97.827795	146 LF
Mejoras de alcantarillado	At the intersection of E. Mesquite St. and S. Bee St. start southeastward approximately 175 feet along E. Mesquite St. and continue southeastward for approximately 349 feet. Midpoint 28.089710, -97.829175	349 LF
Mejoras de alcantarillado	At the intersection of S. Nueces St. and E. Wilson St. start southeastward approximately 176 feet along E. Wilson St. and head northeastward approximately 1,778 feet. Midpoint 28.090482, -97.827737	1,778 LF
Mejoras de alcantarillado	At the intersection of E. Mesquite St. and S. Duval St. start southeastward approximately 170 feet along E. Mesquite St. and continue southeastward for approximately 364 feet. Midpoint 28.088421, -97.827451	364 LF
Mejoras de alcantarillado	At the intersection of S. Encinal St. and E. Hackberry St. start southeastward approximately 165 feet along E. Hackberry St. and head southwestward approximately 629 feet along an easement. Midpoint 28.088171, -97.826949	629 LF
Mejoras de alcantarillado	At the intersection of E. Saint Marys St. and S. Lee St. and start southwestward approximately 93 feet and head northeastward along S. Lee St. approximately 351 feet; thence southeastward approximately 308 feet along an easement. Midpoint 28.089777, -97.823297	659 LF
Mejoras de alcantarillado	At the intersection of E. Saint Marys St. and Hwy 359 start northeastward along Hwy 359 approximately 86 feet and head northwestward to the Sonic Parking lot. Head northeastward along the Sonic parking lot at approximately 175 feet. Start at approximately 114 feet on the same line and head northeastward approximately 96 feet along the Sonic parking lot. Midpoint 28.088813, -97.822369	385 LF
Mejoras de alcantarillado	Start at the intersection E. Franklin St. and S. Encinal St. and head southeastward approximately 193 feet. Midpoint 28.086770, -97.828676	193 LF
Mejoras de alcantarillado	Start at the intersection of E. Franklin St. and Lee St. head southeastward approximately 644 feet along E. Franklin St. Midpoint 28.085102, -97.826453	644 LF
Mejoras de alcantarillado	At the intersection of Hammond St. and Campbell St. start southeastward approximately 140 feet along Campbell St. Head southwestward approximately 933 feet along the easement. Midpoint 28.082218, -97.831322	933 LF
Mejoras de alcantarillado	At the intersection of Hammond St. and Jackson St start southeastward approximately 130 feet along Jackson St and continue southeastward for approximately 329 feet. Midpoint 28.081944, -97.830913	329 LF

Mejoras de alcantarillado	At the intersection of Hammond St. and Campbell St. head northeastward to the easement approximately 165 feet along Hammond St. Start southeastward approximately 45 feet along the easement and continue southeastward approximately 240 feet. Midpoint 28.083555, -97.829849	240 LF
Mejoras de alcantarillado	Start at the intersection of King St and Campbell St. Head northeastward approximately 542 feet along King St.; thence northwestward approximately 249 feet along the easement. Midpoint 28.083781, -97.829120	791 LF
Mejoras de alcantarillado	At the intersection of Hutchins St. and King St. start southeastward approximately 186 feet along Hutchins St. Continue southeastward approximately 333 feet to an easement; thence southwestward approximately 622 feet along an easement. Midpoint 28.083209, -97.827512	955 LF
Mejoras de alcantarillado	At the intersection of Ohio St. and Hwy 359 start southeastward approximately 208 feet along Ohio St. Continue southeastward for approximately 161 feet to Bluebonnet St., thence southwestward for approximately 294 feet along Bluebonnet St. Midpoint 28.081193, -97.827156	455 LF
Mejoras de alcantarillado	Start at the intersection of Bluebonnet St. and Iowa St. head southeastward for approximately 356 feet. Midpoint 28.081723, -97.825900	356 LF
Mejoras de alcantarillado	Start at the intersection of Ohio St. and Marigold St. and head northeastward for approximately 356 feet along Marigold St. Midpoint 28.081044, -97.825879	356 LF
Mejoras de alcantarillado	Start at the end of Marigold St. and head southeastward for approximately 601 feet along an easement; thence southwestward for approximately 888 feet along Aster St. Midpoint 28.080475, -97.823910	1,489 LF
Mejoras de alcantarillado	Start at the intersection of Ohio St. and Gardenia Ave. and head northeastward for approximately 609 feet. Midpoint 28.080703, -97.824941	609 LF
Mejoras de alcantarillado	Start at the intersection of Texas St. and Paloma Ln. head southeastward along Paloma Ln. approximately 552 feet. Midpoint 28.084771, -97.821507	552 LF
Mejoras de alcantarillado	Start at the intersection of Cain St. and Nichols St. and head southeastward along Cain St. for approximately 334 feet; thence southwestward along Texas St. for approximately 1,010 feet. Midpoint 28.085507, -97.821897	1,344 LF
Mejoras de alcantarillado	At the intersection of Cain St. and Texas St. and head southeastward into an easement for approximately 191 feet; start northeastward along an easement for approximately 578 feet; thence southeastward along an easement for approximately 512 feet. Midpoint 28.086946, -97.819604	1,090 LF
Mejoras de alcantarillado	At the intersection of Texas St and FM666 start southeastward along FM666 for approximately 778 feet. Continue southeastward for approximately 340 feet to an easement; thence northeastward along an easement for approximately 637 feet. Midpoint 28.086209, -97.816596	977 LF
Mejoras de alcantarillado	Start at the intersection of Cherry St. and FM666 and head southeastward along FM666 for approximately 157 feet to an easement; thence northeastward along an easement for approximately 370 feet. Midpoint 28.087393, -97.818364	527 LF
Mejoras de alcantarillado	At the intersection of Texas St and FM666 start southeastward along FM666 for approximately 84 feet to an easement; thence northeastward along an easement for approximately 453 feet. Midpoint 28.088114, -97.818775	453 LF
Mejoras de alcantarillado	At the intersection of Cedar St. and La Fruita St. start southwestward along La Fruita St. for approximately 154 feet and head northeastward along La Fruita St. for approximately 399 feet; thence northwestward along Pine St. for approximately 193 feet to an easement; thence northeastward along an easement for approximately 224 feet. Midpoint 28.090906, -97.819468	816 LF
Mejoras de alcantarillado	At the intersection of Spur 459 and Moreno St. head southwestward for approximately 656 feet along Moreno St.; start southeastward along an easement for approximately 262 feet and continue southeastward for approximately 454 feet along the easement behind Palma Real Nursing Center. Midpoint 28.091247, -97.814023	454 LF
Mejoras de alcantarillado	At the intersection of N. Hidalgo St. and E. Rockport St. head approximately 187 feet southeast on E. Rockport St. Start on E. Rockport St. and head northeast along an easement for approximately 290 feet, thence southeast approximately 172 feet along an easement to N. Lee St. Midpoint 28.091768, -97.822057	462 LF

Mejoras de alcantarillado	At the intersection of the railroad and Hwy 359 start southwestward for approximately 244 feet and continue southwestward for approximately 292 feet on the north side of Hwy 359. Midpoint 28.091642, -97.820919	292 LF
Mejoras de alcantarillado	At the intersection of E. San Patricio Ave and N. Bee Street head southeast approximately 168 feet on E. San Patricio Ave. Start approximately 192 feet northeast from E. San Patricio Ave in the CVS parking lot and continue northeast approximately 313 feet, thence southeast approximately 1,801 feet on E. Rockport St. Midpoint 28.092431, -97.824030	2,114 LF
Mejoras de alcantarillado	At the intersection of E. Chiltipin St and N. Hidalgo St. head northwest approximately 174 ft on E. Chiltipin St. Start approximately 138 feet southwest towards E. Fulton St. and continue southwest for approximately 748 feet. Midpoint 28.092345, -97.823023	748 LF
Mejoras de alcantarillado	At the intersection of E. San Patricio Ave and N. Encinal St. head northeast approximately 188 ft on N. Encinal St. Start approximately 44 feet southeast of N. Encinal St. and continue southeast for approximately 271 feet. Midpoint 28.091550, -97.823754	271 LF
Mejoras de alcantarillado	At the intersection of E. San Patricio Ave and N. Encinal St. head northeast approximately 188 ft on N. Encinal St. Start approximately 30 feet northwest of N. Encinal St. and continue northwest for approximately 290 feet. Midpoint 28.092185, -97.824611	290 LF
Mejoras de alcantarillado	At the intersection of E. Chiltipin St and N. Encinal St. head northwest approximately 180 ft on E. Chiltipin St. Start approximately 52 feet southwest towards E. Fulton St. and continue southwest for approximately 852 feet. Midpoint 28.093075, -97.823757	852 LF
Mejoras de alcantarillado	Start At the intersection of N. Bee St. and E. Fulton St head northeast approximately 527 ft on E. Fulton St. Thence southwest for approximately 339 ft. Midpoint 28.094120, -97.824647	866 LF
Mejoras de alcantarillado	At the intersection of E. San Patricio Ave and N. Bee Street head southeast approximately 168 feet on E. San Patricio Ave. Start approximately 198 feet northeast from E. San Patricio Ave in the CVS parking lot head southeast approximately 434 feet. Midpoint 28.093104, -97.825814	434 LF
Mejoras de alcantarillado	At the intersection of E. San Patricio Ave and N. Bee Street head northeast approximately 184 feet on N. Bee St. Start approximately 36 feet northwest along an easement from N. Bee St. and continue northwest for approximately 151 feet along an easement; thence southwestward for approximately 115 feet. Midpoint 28.094104, -97.827163	266 LF
Mejoras de alcantarillado	At the intersection of N. South St. and E Rockport St. head southeast approximately 155 feet along W. E Rockport St. Start northeast from E Rockport St. along an easement and continue northeast for approximately 645 feet. Midpoint 28.095182, -97.826168	645 LF
Mejoras de alcantarillado	Start at the intersection of N. South St. and W. Fulton St. and head southeast approximately 190 feet along W. Fulton St. Midpoint 28.095413, -97.826332	190 LF
Mejoras de alcantarillado	Start at the intersection of N. Nueces St. and E. Chiltipin St. and continue approximately 727 feet on E. Chiltipin St. Thence northeast approximately 678 feet on N. Encinal St. Midpoint 28.093851, -97.822376	1,405 LF
Mejoras de alcantarillado	Start at the intersection of N. Encinal St. and E. Laredo St. continue northeast approximately 667 feet on N. Encinal St. Midpoint 28.095238, -97.821015	667 LF
Mejoras de alcantarillado	At the intersection of E. Chiltipin St and N. Duval St. start approximately 130 feet northeast along N. Duval St. continue northeast approximately 568 feet. Midpoint 28.095764, -97.821988	568 LF
Mejoras de alcantarillado	At the intersection of N. Duval St. and Oleander St. start eastward approximately 211 feet along an easement. Midpoint 28.097479, -97.820032	211 LF
Mejoras de alcantarillado	At the intersection of N. Nueces St. and E. Magnolia St. Start approximately 24 feet going southwest on N. Nueces St. and continue approximately 841 feet. Midpoint 28.096364, -97.822876	841 LF
Mejoras de alcantarillado	Start at the intersection of N. Bee St. and E. Pecan St. and continue southwestward for approximately 552 feet. Midpoint 28.096649, -97.824095	552 LF

Mejoras de alcantarillado	At the intersection of E. Chiltipin St and N. Hidalgo St. start approximately 161 feet northeast along N. Hidalgo and continue northeast approximately 566 feet. Thence northwest on E. Pecan St. for approximately 1,820 feet. Midpoint 28.095751, -97.821560	2,386 LF
Mejoras de alcantarillado	At the intersection of W. Fulton St. and N. Live Oak St. start southeast ward approximately 169 feet on W. Fulton St. and continue southeast ward approximately 360 feet. Thence northeast ward 483 that leads into an easement. Midpoint 28.096391, -97.827333	843 LF
Mejoras de alcantarillado	At the intersection of N. Front St. and W. Laredo St. head northwestward approximately 167 feet along W. Laredo St. Start northeastward from W. Laredo St. for approximately 173 feet along an easement. Continue northeastward for approximately 544 feet along an easement. Thence northwestward along W. Magnolia St. for approximately 371 feet. Midpoint 28.099097, -97.824713	915 LF
Mejoras de alcantarillado	Start at the intersection of N. Aransas St. and W. Magnolia St. and head northeastward approximately 687 feet along N. Aransas St. Midpoint 28.100336, -97.824337	687 LF
Mejoras de alcantarillado	At the intersection of N. Aransas St. and Sumners St. head southeastward approximately 59 feet on Sumners St. Start approximately 26 feet going northeastward down an easement and continue approximately 247 feet. Thence southeastward approximately 177 feet. Midpoint 28.101520, -97.823071	424 LF
Mejoras de alcantarillado	At the intersection of N. Front St. and W. Magnolia St. head northeastward approximately 200 feet along N. Front St. to an easement. Start northwestward approximately 97 feet located in an easement and continue northeastward approximately 276 feet. Midpoint 28.099747, -97.824336	276 LF
Mejoras de alcantarillado	At the intersection of N. Front St. and W. Magnolia St. head northeastward approximately 533 feet along N. Front St. Start northwestward approximately 87 feet located in an easement and continue northeastward approximately 291 feet. Midpoint 28.100466, -97.823628	291 LF
Mejoras de alcantarillado	At the intersection of W. Laredo St. and N. Aransas St. head northwestward approximately 188 feet and start approximately 155 feet northeastward toward an easement. Continue northeastward along the easement for approximately 1,381 feet. Midpoint 28.100223, -97.825164	1,381 LF
Mejoras de alcantarillado	At the intersection of N. Atascosa St. and W. Pecan St. head northwest and approximately 170 feet along W. Pecan St to an easement. Start northeastward approximately 356 feet along the easement; thence northwestward approximately 542 feet along W. Magnolia St. Midpoint 28.101338, -97.827351	898 LF
Mejoras de alcantarillado	Start at the intersection of Flores St. and Huerta St. head northeast approximately 516 feet along Huerta St. to Blackburn St., thence approximately 349 feet to Sumners St. Midpoint 28.103783, -97.829354	865 LF
Mejoras de alcantarillado	At the intersection of Sumners St. and Huerta St. Start Southeastward approximately 165 feet down Sumners St. Continue southeastward for approximately 744 feet. Midpoint 28.103751, -97.827206	744 LF
Mejoras de alcantarillado	At the intersection of Blackburn St. and Huerta St. Start southeastward approximately 120 feet down Blackburn St. Continue southeastward for approximately 591 feet. Midpoint 28.103224, -97.828194	591 LF
Mejoras de alcantarillado	At the intersection of Freeman St. and Almond St. start southwestward approximately 286 feet down Almond St. Continue southwestward approximately 697 feet along Almond St. Midpoint 28.102706, -97.827488	697 LF
Mejoras de alcantarillado	At the intersection of N. Front St. and Hwy 359 head northeastward approximately 480 feet to an easement starting at the north end area of an apartment building. Start southeastward approximately 270 feet along the easement. Midpoint 28.105396, -97.820573	270 LF
Mejoras de alcantarillado	At the intersection of N. Front St. and Hwy 359 head northeastward approximately 480 feet to an easement starting at the north end area of an apartment building, thence westward approximately 150 feet to parking lot. Start eastward approximately 234 feet across Hwy 359 thence northeastward approximately 246 feet. Midpoint 28.105641, -97.820887	480 LF
Mejoras de alcantarillado	At the intersection of Hackberry Ln. and Palm Tree Dr. start northeastward approximately 160 feet; thence southwestward approximately 583 feet along Hackberry Ln; thence northwestward along an easement for approximately 1,010 feet; thence northeastward along the easement approximately 790 feet; thence northwestward along the easement approximately 212 feet. Midpoint 28.106738, -97.819867	2,595 LF

Mejoras de alcantarillado	At the intersection of Hackberry Ln. and Palm Tree Dr. head northeast approximately 150 feet along Hackberry Ln to an easement. Go northwestward approximately 207 feet and start northwestward for approximately 448 feet along the easement; thence southwestward approximately 295 feet along the easement. Midpoint 28.107684, -97.818373	743 LF
Mejoras de alcantarillado	At the intersection of Hackberry Ln. and Palm Tree Dr. head southwest approximately 150 feet along Hackberry Ln to an easement. Go northwestward approximately 190 feet. Start northwestward for approximately 612 feet along the easement; thence northeastward approximately 756 feet along the easement. Midpoint 28.107876, -97.819428	1,368 LF

La ciudad de Mathis ha recibido \$22,830,172.00 en fondos de subvención y contribuirá con \$228,302.00 en fondos de contrapartida. El costo total del proyecto es de \$23,058,474.00.

HALLAZGO DE NO IMPACTO SIGNIFICATIVO

La ciudad de Mathis ha determinado que el proyecto no tendrá un impacto significativo en el medio ambiente humano. Por lo tanto, no se requiere una Declaración de Impacto Ambiental según la Ley de Política Ambiental Nacional de 1969 (NEPA). Información adicional del proyecto está contenida en el Registro de Revisión Ambiental (ERR) archivado en Mathis City Hall, 411 E San Patricio, Mathis, Texas 78368 y puede examinarse o copiarse los días laborables de 8:00 a. m. a 5:00 p. m.

COMENTARIOS PÚBLICOS

Cualquier individuo, grupo o agencia puede enviar comentarios por escrito sobre la ERR a la Oficina del Alcalde, 411 E San Patricio, Mathis, Texas 78368. Los comentarios también pueden enviarse por correo electrónico a mbarrera@cityofmathis.com. Todos los comentarios recibidos antes del 11/20/2023 serán considerados por la ciudad de Mathis antes de autorizar la presentación de una solicitud de liberación de fondos. Los comentarios deben especificar a qué Aviso se dirigen.

CERTIFICACIÓN AMBIENTAL

La Ciudad de Mathis certifica a la Oficina General de Tierras de Texas que Michael Barrera, en su calidad de Administrador de la Ciudad, consiente en aceptar la jurisdicción de los Tribunales Federales si se inicia una acción para hacer cumplir las responsabilidades en relación con el proceso de revisión ambiental y que estas responsabilidades han sido satisfecho. La aprobación de la certificación por parte de la Oficina General de Tierras de Texas satisface sus responsabilidades según la NEPA y las leyes y autoridades relacionadas y permite a la ciudad de Mathis utilizar los fondos del programa HUD.

OBJECIONES A LA LIBERACIÓN DE FONDOS

La Oficina General de Tierras de Texas aceptará objeciones a su liberación de fondos y a la certificación de la Ciudad de Mathis por un período de quince días después de la fecha de presentación anticipada o de la recepción real de la solicitud (lo que ocurra más tarde) solo si están en uno de los siguientes bases: (a) la certificación no fue ejecutada por el Oficial Certificador de la Ciudad de Mathis aprobado por la Oficina General de Tierras de Texas (b) la Ciudad de Mathis ha omitido un paso o no ha tomado una decisión o hallazgo requerido por las regulaciones de HUD en 24 CFR Parte 58; (c) el beneficiario de la subvención u otros participantes en el proceso de desarrollo han comprometido fondos, incurrido en costos o realizado actividades no autorizadas por 24 CFR Parte 58 antes de la aprobación de una liberación de fondos por parte de la Oficina General de Tierras de Texas; o (d) otra agencia federal que actúa de conformidad con 40 CFR Parte 1504 ha presentado una conclusión por escrito de que el proyecto es insatisfactorio desde el punto de vista de la calidad ambiental. Las objeciones deben prepararse y presentarse de acuerdo con los procedimientos requeridos (24 CFR Parte 58, Sec. 58.76) y deben dirigirse a Heather Lagrone, Oficina General de Tierras de Texas – Desarrollo y Revitalización Comunitaria en P.O. Box 12873, Austin, Texas 78711-2873, env.reviews@recovery.texas.gov. Los posibles objetores deben comunicarse con la Oficina General de Tierras de Texas para verificar el último día real del período de objeción.

Michael Barrera, administrador de la ciudad